

W2017060501

/

1

2

3

4

5

48

6

:

0898-88382756

0898-88380003

2

5

| | | | |
|--|--|---|---------------|
| | | / | |
| | | | 0898-88812752 |
| | | / | 2017.6.5 |

1

2017 6 15

1

GB3838-2002

3 5

1

| | | | | |
|----|----|-------------------|---------|----|
| | | | | |
| 1 | | GB/T5750. 12-2006 | 2. 3 | |
| 2 | | GB/T5750. 12-2006 | 1. 1 | |
| 3 | | GB/T5750. 12-2006 | 2. 3 | |
| 4 | | GB/T5750. 12-2006 | 4. 3 | |
| 5 | | GB/T5750. 6-2006 | 6. 1 | |
| 6 | | GB/T5750. 6-2006 | 9. 1 | |
| 7 | | GB/T5750. 6-2006 | 10. 1 | |
| 8 | | GB/T5750. 6-2006 | 11. 1 | |
| 9 | | GB/T5750. 6-2006 | 8. 1 | |
| 10 | | GB/T5750. 6-2006 | 7. 3 | |
| 11 | | GB/T5750. 5-2006 | 4. 2 | - |
| 12 | | GB/T5750. 5-2006 | 3. 2 | |
| 13 | | GB/T5750. 5-2006 | 5. 3 | |
| 14 | | GB/T5750. 4-2006 | 1. 1 | - |
| 15 | | GB/T5750. 4-2006 | 2. 1 | - |
| 16 | | GB/T5750. 4-2006 | 3. 1 | |
| 17 | | GB/T5750. 4-2006 | 4. 1 | |
| 18 | PH | GB/T5750. 4-2006 | 5. 1 | |
| 19 | | GB/T5750. 6-2006 | 1. 1 | S |
| 20 | | GB/T5750. 6-2006 | 2. 2 | |
| 21 | | GB/T5750. 6-2006 | 3. 2 | |
| 22 | | GB/T5750. 6-2006 | 4. 2. 1 | |
| 23 | | GB/T5750. 6-2006 | 5. 1 | |
| 24 | | GB/T5750. 5-2006 | 2. 2 | |
| 25 | | GB/T5750. 5-2006 | 1. 2 | |
| 26 | | GB/T5750. 4-2006 | 8. 1 | |
| 27 | | GB/T5750. 4-2006 | 7. 1 | |
| 28 | | GB/T5750. 7-2006 | 1. 1 | |
| 29 | | GB/T5750. 4-2006 | 9. 1 | 4- |
| 30 | | GB/T5750. 4-2006 | 10. 2 | |
| 31 | | GB/T5750. 5-2006 | 9. 1 | |
| 32 | | | | |
| 33 | | | | |
| 34 | | GB/T 5750. 8 2006 | 1. 2 | |
| 35 | | GB/T 5750. 8 2006 | 1. 2 | |

1

| | | GB3838-2002 () | |
|----|----|------------------|-------------------|
| | | () | W17060501 |
| 1 | | (MPN/100mL) | 394.5 |
| 2 | | (CFU/mL) | 1.2×10^2 |
| 3 | | 1000 (MPN/100mL) | 88.5 |
| 4 | | (MPN/100mL) | |
| 5 | | 0.05 (/L) | 0.0004 |
| 6 | | 0.005 (/L) | <0.0005 |
| 7 | | 0.05 (/L) | 0.016 |
| 8 | | 0.05 (/L) | <0.0025 |
| 9 | | 0.0001 (/L) | <0.0001 |
| 10 | | 0.01 (/L) | <0.0002 |
| 11 | | 0.2 (/L) | <0.002 |
| 12 | | 1.0 (/L) | 0.28 |
| 13 | | 10 (/L) | 0.07 |
| 14 | | | 10 |
| 15 | | NTU | 2.51 |
| 16 | | | 0 |
| 17 | | / | |
| 18 | PH | 6-9 | 7.35 |
| 19 | | /L | 0.018 |
| 20 | | 0.3 (/L) | 0.15 |
| 21 | | 0.1 (/L) | 0.27 |
| 22 | | 1.0 (/L) | <0.2 |
| 23 | | 1.0 (/L) | <0.05 |
| 24 | | 250 (/L) | 6.15 |
| 25 | | 250 (/L) | 4.90 |
| 26 | | (/L) | 61 |
| 27 | | (/L) | 33.0 |
| 28 | | 6 (/L) | 2.40 |
| 29 | | 0.005 (/L) | <0.002 |
| 30 | | 0.2 (/L) | 0.07 |
| 31 | | () | 25 |
| 32 | | 1.0 (/L) | 0.10 |
| 33 | | 1 (/L) | |
| 34 | | 0.06 (/L) | <0.0002 |
| 35 | | 0.002 (/L) | <0.0001 |